CARBOHYDRATE RESEARCH, VOL. 182 (1988)

AUTHOR INDEX

ABBAS, S. A., 290
ACQUOTTI, D., 31
ALBERSHEIM, P., 207
ANDERSSON, M., 111
ARNOTT, S., 1

BARONE, G., 148
BASSI, R., 31
BHAVANANDAN, V. P., 135
BRASCH, D. J., 241
BRILLOUET, J.-M., 63

CAPEK, P., 160
CATELANI, G., 297
CHANDRASEKARAN, R., 1
CHERNIAK, R., 227
CHÛJÔ, R., 41
COLONNA, F., 297
CYONG, J.-C., 259

D'AMBRA, A. J., 53
DARVILL, A. G., 207
DAVIDSON, E. A., 135
DEA, I. C. M., 1
DUTTON, G. G. S., 127

FERNANDEZ-MAYORALAS, A., 153
FRONZA, G., 31
FUKUSHI, Y., 313

GLASER, R., 169
GRAY, G. R., 53

HABUŠ, I., 179
HENRICHSEN, J., 111
HUBER, B., 301

INOUE, M., 277
INOUE, Y., 41

JAIN, R. K., 290
JANSSON, P.-E., 111, 166
JARAMILLO, C., 153
JONES, R. G., 227
JOSELEAU, J.-P., 63

KARDOŠOVÁ, A., 160
KATSUKI, M., 277
KIRSCHNER, G., 31
KIYOHARA, H., 259
KLEINE, H. P., 307
KNISKERN, P. J., 79
KOGA T., 277
KOHATA, K., 290
KUDO, N., 277

LEDL, F., 301
LERNER, L. M., 287
LINDBERG, B., 111, 166
LINDQUIST, U., 111
LJEVAKOVIĆ, Đ., 197

MAEDA, M., 313
MARRA, A., 297
MARTIN-LOMAS, M., 153
MATTA, K. L., 290
MATTIA, C. A., 148
MELTON, L. D., 241
MIHÁLOV, V., 160
MILLANE, R. P., 1
MOREAU, M., 79
MURALIKRISHNA, G., 119

ONDA, M., 41
OTSURU, O., 313
OXLEY, D., 101

PAROLIS, H., 127
PAROLIS, L. A. S., 127
PERLIN, A. S., 169
PERRY, M. B., 79
PFLEIDERER, G., 301
PULITI, R., 148

RAMADAS BHAT, U., 119
RAZA, Z., 179
REDGWELL, R. J., 241
RICE, M. J., 53
RICHARDS, J. C., 79
ROSÍK, J., 160

SAULNIER, L., 63
SEVERIN, T., 301
SIDHU, R. S., 307
SLODKI, M. E., 227
SNATZKE, G., 179
SOMOGYI, L., 19
SONNINO, S., 31

STANGL, A., 301
STEVENSON, T. T., 207
ŠUNJIĆ, V., 179

TADDEI-PETERS, W. C., 135
TAGLIAVACCA, L., 31
TAKAHASHI, Y., 41
THARANATHAN, R. N., 119
TOMAN, R., 160
TOMAŠIĆ, J., 197
TOMIĆ, S., 197

UHRÍN, D., 160

WIDMALM, G., 166
WILKINSON, S. G., 101

YAKUSHIJI, T., 277
YAMADA, H., 259
YAMAMOTO, Y., 41

ZELLER, S. G., 53

CARBOHYDRATE RESEARCH, VOL. 182 (1988)

SUBJECT INDEX

2-Acetamido-2-deoxy sugars, selective piraloylation of, 197
Acetonation of methyl β-maltoside with 2-methoxypropene, 153
3-Acetyl-2-(polyacetoxyalkyl)-5-phenyl-2,3-dihydro-1,3,4-oxadiazoles, stereochemical aspects of the formation of diastereoisomeric, 19
α_1-Acid glycoprotein, purification and partial characterization of glycoprotein closely related to, 135
Angelica acutiloba Kitagawa, structure and anticomplementary activity of pectic polysaccharides isolated from the root of, 259
Application of high-resolution n.m.r. spectroscopy to the elucidation of the structure of the specific capsular polysaccharide of *Streptococcus pneumoniae* type 7F, 79

Bryopsis maxima cell wall, chemical structure of the D-xylan of, 313

Carrageenan, kappa, molecular structure of, 1
Cassia sericea, heterogeneity and structural investigation of galactomannans isolated from the seeds of, 119
Cell wall of *Bryopsis maxima*, chemical structure of the D-xylan of, 313
Cell-wall polysaccharides of kiwifruit *(Actinidia deliciosa)*: chemical features in different tissue zones of the fruit at harvest, 241
Chemical features in different tissue zones of kiwifruit *(Actinidia deliciosa)* at harvest, 241
Chiroptical properties of tetrahydropyran-3,4 diols and 2-hydroxymethyltetrahydropyran-3-ols derived from some aldoses, and enantioselectivity in reduction with their complexes, 179
Crystal structure for 2-deoxy-β-D-*arabino*-hexose (2-deoxy-β-D-glucose), 148
Cyclomalto-oligosaccharides, determination of the host–guest geometry in the inclusion complexes with *p*-nitrophenol in solutions of, 41

2-Deoxy-β-D-*arabino*-hexose (2-deoxy-β-D-glucose), crystal structure of, 148
Determination of the host–guest geometry in the inclusion complexes of cyclomalto-oligosaccharides with *p*-nitrophenol in solution, 41
Dianhydrides of oligosaccharides of the aldose type, formation of, during acid hydrolysis of the polysaccharides from the roots of the marsh mallow, 160
Dilactone derivative of GD1a ganglioside, synthesis and structural characterization of the, 31
Diastereoisomeric 3-acetyl-2-(polyacetoxyalkyl)-5-phenyl-2,3-dihydro-1,3,4-oxadiazoles, stereochemical aspects of the formation of, 19

Endo-(1→3)-α-D-glucanase, reduction of adherence of insoluble α-D-glucans of *Streptococcus sobrinus* by, 277
Enantioselectivity in reduction with complexes of tetrahydropyran-3,4-diols and 2-hydroxymethyltetrahydropyran-3-ols derived from some aldoses, 179
L-Erythrose, 2,3-*O*-isopropylidene, condensation into disaccharide of, 287
Exopolysaccharide, from *Tremella mesenterica*, n.m.r.-spectral study of a glucuronomannan chemically derived from, 227

Formation of 2-(2-furoyl)-4(5)-(2-furyl)-1*H* imidazole in the Maillard reaction, 301
2-(2-Furoyl)-4(5)-2-(2-furyl)-1*H*-imidazole, formation of, in the Maillard reaction, 301

Galactomannans isolated from the seeds of *Cassia sericea*, heterogeneity and structural investigation of, 119
Galactopyranosides, an improved preparation of 3,4-*O*-isopropylidene derivatives of α- and β-D-, 297
Galactorhamnan from the O2 reference strain (C.D.C. 868-57) of *Serratia marcescens*, structural studies of an acidic, 101
Ganglioside, synthesis and structural characterization of the dilactone derivative of GD1a, 31
α-D-Glucan of *Streptococcus sobrinus*, insoluble, reduction by endo-(1→3)-α-D-glucanase of adherence of, 277
D-Glucitol, 4-*O*-acetyl-1,5-anhydrodi-*O*-ethyl-*O*-methyl-, the positional isomers of, synthesis and mass spectra of, 53
D-Glucitol, 4-*O*-acetyl-1,5-anhydro-*O*-ethyldi-*O*-methyl-, the positional isomers of, synthesis and mass spectra of, 53

D-Glucitol, 4-*O*-acetyl-1,5-anhydro-2,3,6-tri-*O*-ethyl-, synthesis and mass spectrum of, 53
Glucuronomannan, chemically derived from a *Tremella mesenterica* exopolysaccharide, n.m.r.-spectral study of, 227
Glycoprotein associated with malignancy, purification and characterization of, 135
Grape berries, structural studies of pectic substances from the pulp of, 63

Heterogeneity and structural investigation of galactomannans isolated from the seeds of *Cassia sericea*, 119
Host–guest geometry in the inclusion complexes of cyclomalto-oligosaccharides with *p*-nitrophenol in solution, determination of the, 41

Improved preparation of 3,4-*O*-isopropylidene derivatives of α- and β-D-galactopyranosides, 297
Iota-carrageenan, comparison with kappa-carrageenan, 1
Isopropylidene derivatives of α- and β-D-galactopyranosides, an improved preparation of 3,4-*O*-, 297
2,3-*O*-Isopropylidene-β-L-erythrofuranosyl 2,3-*O*-isopropylidene-β-L-erythrofuranosides, synthesis of, 287
2,3-*O*-Isopropylidene-L-erythrose, condensation into disaccharide of, 287

Kappa-carrageenan, molecular structure and comparison with iota-carrageenan of, 1
Kiwifruit (*Actinidia deliciosa*), chemical features in different tissue zones of, at harvest, 241
Klebsiella K14 polysaccharide, preparation of branched hexasaccharides by the action of a viral lyase on, 127
Klebsiella species, structural studies of an extracellular polysaccharide (S-53) elaborated by a, 166

Lacto-N-triose 1 unit, synthesis of a tetra- and two pentasaccharides containing, 290

Maillard reaction, formation of 2-(2-furoyl)-4(5)-(2-furyl)-1*H*-imidazole in the, 301
Malignancy-associated glycoprotein, purification and partial characterization of, 135
β-D-Mannopyranosides, aryl, synthesis of, 307
Marsh mallow (*Althaea officinalis* L., var. Rhobusta), polysaccharides from the roots of the, 160
2-Methoxypropene, acetonation of methyl β-maltoside with, 153
N-Methyl-1-deoxynojirimycin, n.m.r. studies of, 169
Methyl β-maltoside, acetonation of, with 2-methoxypropene, 153

N.m.r. studies, ^{1}H- and ^{13}C-, of *N*-methyl-1-deoxynojirimycin, 169
Nojirimycin, *N*-methyl-1-deoxy-, n.m.r. studies of, 169

Pectic polysaccharides isolated from the root of *Angelica acutiloba* Kitagawa, structure and anti-complementary activity of, 259
Pectic substances from the pulp of grape berries, structural studies of, 63
Pentasaccharides containing lacto-N-triose 1 unit, synthesis of, 290
Pivaloylation of 2-acetamido-2-deoxy sugars, selective, 197
Polysaccharide from *Streptococcus pneumoniae* type 2, a reinvestigation of the structure of the capsular, 111
Polysaccharide of *Streptococcus pneumoniae* type 7F, application of high-resolution n.m.r. spectroscopy to the elucidation of the structure of the specific capsular, 79
Polysaccharide (S-53) elaborated by a *Klebsiella* species, structural studies of an extracellular, 166
Polysaccharides from the roots of the marsh mallow (*Althaea officinalis* L., var. Rhobusta): dianhydrides of oligosaccharides of the aldose type, 160
Polysaccharides, type-specific, of *Cryptococcus neoformans*, 227
Preparation of branched hexasaccharides by the action of a viral lyase on *Klebsiella* K14 polysaccharide, 127
Rhamnogalacturonan-II, the plant cell-wall polysaccharide, structural features of, 207

Selective pivaloylation of 2-acetamido-2-deoxy sugars, 197
Serratia marcescens, structural studies of an acidic galactorhamnan from the O2 reference strain (C.D.C. 868-57) of, 101
Stereochemical aspects of the formation of diastereoisomeric 3-acetyl-2-(polyacetoxyalkyl)-5-phenyl-2,3-dihydro-1,3,4-oxadiazoles, 19
Streptococcus pneumoniae type 2, a reinvestigation of the structure of the capsular polysaccharide from, 111
Streptococcus pneumoniae type 7F, application of high-resolution n.m.r. spectroscopy to the elucidation of the structure of the specific capsular polysaccharide of, 79
Streptococcus sobrinus, reduction of adherence of insoluble α-D-glucan of, 277

Structural features of the plant cell-wall polysaccharide rhamnogalacturonan-II, 207
Structural studies of an acidic galactorhamnan from the O2 reference strain (C.D.C. 868-57) of *Serratia marcescens*, 101
Structural studies of an extracellular polysaccharide, (S-53) elaborated by a *Klebsiella* species, 166
Structural studies of pectic substances from the pulp of grape berries, 63
Structural studies of the capsular polysaccharide from *Streptococcus pneumoniae* type 2, a re-investigation, 111
Structure and anti-complementary activity of pectic polysaccharides isolated from the root of *Angelica acutiloba* Kitagawa, 259
Synthesis and mass spectra of 4-*O*-acetyl-1,5-anhydro-2,3,6-tri-*O*-ethyl-D-glucitol and the positional isomers of 4-*O*-acetyl-1,5-anhydro-di-*O*-ethyl-*O*-methyl-D-glucitol and 4-*O*-acetyl-1,5-anhydro-*O*-ethyldi-*O*-methyl-D-glucitol, 53
Synthesis and structural characterization of the di-lactone derivative of GD1a ganglioside, 31
Synthesis of aryl β-D-mannopyranosides, 307

Tetrahydropyran-3,4-diols and 2-hydroxymethyl-tetrahydropyran-3-ols derived from some aldoses, chiroptical properties of, and enantio-selectivity in reduction with their complexes, 179
Tetrasaccharide containing lacto-N-triose 1 unit, synthesis of, 290
Type-specific polysaccharides of *Cryptococcus neoformans*. N.m.r.-spectral study of a glucuronomannan chemically derived from a *Tremella mesenterica* exopolysaccharide, 227

Viral lyase, preparation of branched hexasaccharides by the action on *Klebsiella* K14 polysaccharide of a, 127

D-Xylan of the cell wall of *Bryopsis maxima*, chemical structure of, 313